

according to 1907/2006/EC, Article 31

Printing date 04.08.2020 Version number 14 Revision: 04.08.2020

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Trade name: BETOCRETE-CL210-WP
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Concrete/Mortar admixtures
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
   SCHOMBURG GmbH & Co. KG
   Aquafinstr. 2-8
   D-32760 Detmold

Germany

-----

Tel: ++49 (0)5231/953-00 Fax: ++49 (0)5231/953-123 email: info@schomburg.de web: www.schomburg.de

· Informing department:

**Product Safety Department** 

Tel: ++49 (0)5231/953-193 Fax: ++49 (0)5231/953-106 email: SDB@schomburg.de

#### **SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS05, GHS07
- · Signal word Danger
- · Hazard-determining components of labelling:

2-methyl-2H-isothiazol-3-one

· Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

· Precautionary statements

P260 Do not breathe dusts or mists.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 04.08.2020 Version number 14 Revision: 04.08.2020

Trade name: BETOCRETE-CL210-WP

(Contd. of page 1)

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

3.2 Chemical characterisation: Mixtures

· Description: aqueous salt water solution with Metal soaps

**Dangerous components:** 

CAS: 584-08-7 potassium carbonate 10-25%

EINECS: 209-529-3 **(**) Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335

CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one 0.0015-<0.005%

EINECS: 220-239-6 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; \lambda Skin Corr. 1B, H314; Eye Dam. 1, H318; ሴ Aquatic Acute 1,

H400 (M=10); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1A,

Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %

· Additional information For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · General information Personal protection for the First Aider.
- · After inhalation Supply fresh air or oxygen; call for doctor.
- · After skin contact

Instantly wash with water and soap and rinse thoroughly.

If symptoms appearance, call the doctor.

- After eye contact Rinse opened eye for several minutes under running water.
- After swallowing

Drink copious amounts of water and provide fresh air. Instantly call for doctor.

Show the pack or the label to the doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents Product is not inflammable.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.08.2020 Version number 14 Revision: 04.08.2020

Trade name: BETOCRETE-CL210-WP

(Contd. of page 2)

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- · Additional information Follow the emergency-plan.

#### **SECTION 6: Accidental release measures**

 6.1 Personal precautions, protective equipment and emergency procedures Bring persons out of danger.

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

#### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling

Store in cool, dry place in tightly closed containers.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Keep away from children.

- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility:

Please follow the rules of the VCI-Storage-Concept for chemicals.

Further information about storage conditions:

Keep container tightly sealed.

Store in a locked cabinet and out of the reach of children.

· 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical systems:

It must be possible to wash the skin in the working area.

Eye-wash bottle must be available.

- 8.1 Control parameters
- Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Avoid contact with eyes and skin. Change clothes which heavy contaminate with the product.

(Contd. on page 4)

(Contd. of page 3)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.08.2020 Version number 14 Revision: 04.08.2020

Trade name: BETOCRETE-CL210-WP

Be sure to clean skin thoroughly after work and before breaks.

· Breathing equipment: Not required.

· Protection of hands: Hand Protection: Nitril-rubber-latex-gloves.

Material of gloves

Nitril-rubber-latex-gloves II R: Thickness  $\geq$  0,5mm; Break through time  $\geq$  480 min

#### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

· Body protection: Protective work clothing.

SECTION 9: Physical and chemical pro	perties
9.1 Information on basic physical and	chemical properties
General Information	
Appearance: Form:	Fluid
Colour:	White
Smell:	Characteristic
Odour threshold:	Not determined.
pH-value at 20 °C:	12
Change in condition	
Melting point/freezing point:	Not determined
Initial boiling point and boiling range	: Not determined
Flash point:	Not applicable
Inflammability (solid, gaseous)	Not applicable.
Decomposition temperature:	Not determined.
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Critical values for explosion:	
Lower:	Not determined.
Upper:	Not determined.
Steam pressure:	Not determined.
Density at 20 °C	1.06 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	miscible
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
dynamic at 20 °C:	700 mPas

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 04.08.2020 Version number 14 Revision: 04.08.2020

Trade name: BETOCRETE-CL210-WP

(Contd. of page 4)

9.2 Other information

No further relevant information available.

#### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

#### **SECTION 11: Toxicological information**

- 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification:

#### 584-08-7 potassium carbonate

Oral LD50 >2,000 mg/kg (rats) (OECD 401)

Dermal LD50 >2,000 mg/kg (Kan)

#### 64742-53-6 Distillates (petroleum), hydrotreated light naphthenic

Oral LD50 >5,000 mg/kg (rats)

Dermal LD50 >5,000 mg/kg (rabbit)

#### 1310-58-3 potassium hydroxide

Oral LD50 365 mg/kg (rats)

#### 2682-20-4 2-methyl-2H-isothiazol-3-one

Oral LD50 120 mg/kg (rats) (EPA OPPTS 870.1100)

Dermal LD50 242 mg/kg (rats) (OECD 402)

- Primary irritant effect:
- Skin corrosion/irritation

Corrosive

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Corrosive

Causes serious eye damage.

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

GB

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.08.2020 Version number 14 Revision: 04.08.2020

Trade name: BETOCRETE-CL210-WP

(Contd. of page 5)

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:

#### 2682-20-4 2-methyl-2H-isothiazol-3-one

LC50 (48h) 0.934 mg/l (Daphnia magna) (OECD 202) LC50/96h 4.77 mg/l (Oncorhynchus mykiss) (OECD 203)

EC/LC50 (72h) 0.103 mg/l (algae toxicity) (OECD 201) NOEC 0.04 mg/l (Daphnia magna) ((21 d))

- 2.1 mg/l (Pimephales promelas) ((33 d))
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

14.1 UN-Number		
ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 04.08.2020 Version number 14 Revision: 04.08.2020

Trade name: BETOCRETE-CL210-WP

		(Contd. of page 6)
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.	
· UN "Model Regulation":	Void	

#### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- · Department issuing data specification sheet: Environment protection department.
- · Contact: Mr. Guido Herfort
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - oral - Category 3

Acute Tox. 2: Acute toxicity - inhalation - Category 2

(Contd. on page 8)

# **Safety data sheet** according to 1907/2006/EC, Article 31

Printing date 04.08.2020 Version number 14 Revision: 04.08.2020

Trade name: BETOCRETE-CL210-WP

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

\* Data compared to the previous version altered.

(Contd. of page 7)