

Page 1/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.05.2024 Version number 26 (replaces version 25) Revision: 08.05.2024

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name MC-Color Proof pro

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance

/ the mixture Surface protection

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

> Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

Informing department:

msds@mc-bauchemie.de

· 1.4 Emergency telephone

number:

Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +1 872 5888271 (MCR)

#### **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to

Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void · Hazard statements Void

· Additional information: EUH208 Contains 2-octyl-2H-isothiazol-3-one, reaction mass of: 5-

chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3: 1), 1,2-benzisothiazol-3(2H)-one, formaldehyde. May

produce an allergic reaction.

EUH210 Safety data sheet available on request.

Contains biocidal products: 1,2-benzisothiazol-3(2H)-one, 2-octyl-2H-isothiazol-3-one, reaction mass of: 5-chloro-2-methyl-4isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-

3-one [EC no. 220-239-6] (3:1)

(Contd. on page 2)



Page 2/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.05.2024 Version number 26 (replaces version 25) Revision: 08.05.2024

### Trade name MC-Color Proof pro

(Contd. of page 1)

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

• **Description:** Mixture consisting of the following components.

Dangerous compor	nents:	
CAS: 56539-66-3	3-Methoxy-3-methyl-1-butanol Eye Irrit. 2, H319	<2.5%
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥0.05 %	≥0.025-<0.05%
	formaldehyde  Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Muta. 2, H341; Carc. 1B, H350; Skin Corr. 1B, H314; Skin Sens. 1, H317  Specific concentration limits: Skin Corr. 1B; H314: $C \ge 25\%$ Skin Irrit. 2; H315: $5\% \le C < 25\%$ Eye Irrit. 2; H319: $5\% \le C < 25\%$ Skin Sens. 1; H317: $C \ge 0.2\%$ STOT SE 3; H335: $C \ge 5\%$	<0.1%

GP



Page 3/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.05.2024 Version number 26 (replaces version 25) Revision: 08.05.2024

#### Trade name MC-Color Proof pro

			_
		(Contd. of page 2)	
	2-octyl-2H-isothiazol-3-one	<i>≥</i> 0.00025-<0.0015%	
EINECS: 247-761-7	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A; H317: C ≥0.0015 %		
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)  Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits:  Skin Corr. 1C; H314: C ≥0.6 %  Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %  Eye Dam. 1; H318: C ≥ 0.6 %  Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %  Skin Sens. 1A; H317: C ≥ 0.0015 %		

Additional information

For the wording of the listed hazard phrases refer to section 16.

Acrylic dispersion

Chalk Water

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

• General information No special measures required.

• After inhalation Supply fresh air.

• After skin contact The product is not skin irritating.

• After eye contact Rinse opened eye for several minutes under running water.

After swallowing Rinse out mouth and then drink plenty of water.

Seek medical treatment.

## **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or

mixture No further relevant information available.

(Contd. on page 4)



Page 4/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.05.2024 Version number 26 (replaces version 25) Revision: 08.05.2024

Trade name MC-Color Proof pro

(Contd. of page 3)

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

**emergency procedures** Not required.

· 6.2 Environmental

precautions: Dilute with much water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

· 6.4 Reference to other

sections No dangerous materials are released.

#### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe

**handling** No special measures required.

· Information about protection

against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage

· Requirements to be met by

**storerooms and containers:** No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: None.
Storage class 10

#### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

CAS: 50-00-0 formaldehyde

WEL Short-term value: 2.5 mg/m³, 2 ppm

Long-term value: 2.5 mg/m³, 2 ppm

Carc

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· Appropriate engineering

controls No further data; see section 7.

(Contd. on page 5)



Page 5/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.05.2024 Version number 26 (replaces version 25) Revision: 08.05.2024

#### Trade name MC-Color Proof pro

(Contd. of page 4)

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures The usual precautionary measures should be adhered to in

handling the chemicals.

Breathing equipment: Not required.
 Hand protection Protective gloves.
 Material of gloves Natural rubber, NR Nitrile rubber, NBR

· Penetration time of glove

material Breakthrough time: > = 480 min

The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

· Eye/face protection Not required.

Body protection: Light weight protective clothing

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

Colour: Colourless
 Smell: Recognisable
 Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range 100 °C (CAS: 7732-18-5 water, distilled,

conductivity or of similar purity)

· Flash point: 200 °C · pH at 20 °C 7

· Viscosity:

Kinematic viscositydynamic at 20 °C:Not determined.15000 mPas

Solubility

· Water: Fully miscible

• Steam pressure at 20 °C: 23 hPa (CAS: 7732-18-5 water, distilled,

conductivity or of similar purity)

· Density and/or relative density

Density at 20 °C
 Relative density
 1.04 g/cm³
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

• Self-inflammability: Product is not selfigniting. • Explosive properties: Product is not explosive.

(Contd. on page 6)



Page 6/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.05.2024 Version number 26 (replaces version 25) Revision: 08.05.2024

#### Trade name MC-Color Proof pro

(Contd. of page 5)

· Information with regard to physical haz	ard
classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
Desensitised explosives	Void

## **SECTION 10: Stability and reactivity**

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

10.4 Conditions to avoid
 10.5 Incompatible materials:
 No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

 Oral
 LD50
 1020 mg/kg (rat)

 Dermal
 LD50
 >2000 mg/kg (rat)

(Contd. on page 7)





# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.05.2024 Version number 26 (replaces version 25) Revision: 08.05.2024

### Trade name MC-Color Proof pro

CAS: 50-0	00-0 forma	ldehvde	(Contd. of page 6)
Oral	LD50	>200 mg/kg (rat)	
	LD50	300 mg/kg	
- · · · · · · · · · · · · · · · · · · ·			, ,
Oral	LD50	-octyl-2H-isothiazol-3-one   125 mg/kg (ATE)	
Orai	LDSO	500 mg/kg	
D = = 1	1.050		
Dermal	LD50	311 mg/kg (ATE)	
		>2000 mg/	
Inhalative	LC50/4 h	0.27 mg/l (ATE)	
		0.6 mg/l (rat)	
CAS: 559			ss of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-
	7]	and 2-met	hyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)
Oral	LD50	49.6-75 mg	g/kg (rat)
Dermal	LD50	87.12 mg/kg (rabbit)	
Inhalative	LC50/4 h	0.171 mg/l (rat)	
<b>Skin corrosion/irritation</b> Based on available data, the classification criteria are not met.			Based on available data, the classification criteria are not met.
· Serious eye damage/irritation Based on avail			Based on available data, the classification criteria are not met.
•	ry or skin		<b>-</b>
sensitisation		,	Based on available data, the classification criteria are not met.
Germ cell mutagenicity		icity	Based on available data, the classification criteria are not met.
Carcinogenicity		i4.,	Based on available data, the classification criteria are not met.  Based on available data, the classification criteria are not met.
Reproductive toxicity STOT-single exposure			Based on available data, the classification criteria are not met.
STOT-single exposure STOT-repeated exposure			Based on available data, the classification criteria are not met.
Aspiration hazard		004.0	Based on available data, the classification criteria are not met.
		other haza	· · · · · · · · · · · · · · · · · · ·
Endocrine	o disruntii	ng properti	ios

# **SECTION 12: Ecological information**

None of the ingredients is listed.

## · 12.1 Toxicity

12.1 10010	aty — — — — — — — — — — — — — — — — — — —	
· Aquatic toxicity:		
CAS: 2634	1-33-5 1,2-benzisothiazol-3(2H)-one	
EC50/72h	0.067 mg/l (Pseudokirchneriella subcapitata)	
	0.11 mg/l (Selenastrum capricornutum)	
LC50/96h	1.6 mg/l (Oncorhynchus mykiss)	
EC50/48h	1.1 mg/l (Daphnia magna)	
CAS: 2653	30-20-1 2-octyl-2H-isothiazol-3-one	
EC50/48h	0.42 mg/l (Daphnien)	
	(Contd. on page 8)	

ontd. on page 8



Page 8/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.05.2024 Version number 26 (replaces version 25) Revision: 08.05.2024

#### Trade name MC-Color Proof pro

(Contd. of page 7)

CAS: 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

LC50/24h | 0.19 mg/l (fish)

EC50/72h 0.027 mg/l (Pseudokirchneriella subcapitata)

LC50/96h 0.19 mg/l (Oncorhynchus mykiss)

LC50/48h | 0.28 mg/l (fish)

EC50/48h | 0.16 mg/l (Daphnia magna)

NOEC 0.02 mg/l (Oncorhynchus mykiss)

0.00049 mg/l (Ske)

0.1 mg/l (Daphnia magna)

· 12.2 Persistence and

degradability No further relevant information available.

12.3 Bioaccumulative

potential
No further relevant information available.

12.4 Mobility in soil
No further relevant information available.

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

properties.

· 12.7 Other adverse effects

· Additional ecological information:

General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

#### SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

· Recommended cleaning

agent: Water, if necessary with cleaning agent.

### SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, ADN, IMDG, IATA Void

(Contd. on page 9)



Page 9/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.05.2024 Version number 26 (replaces version 25) Revision: 08.05.2024

#### Trade name MC-Color Proof pro

	(Contd. of page
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according IMO instruments	<b>g to</b> Not applicable.
· Transport/Additional information:	Not dangerous according to the abov specifications.
· UN "Model Regulation":	Void

# **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/ legislation specific for the

substance or mixture No further relevant information available.

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

CAS: 50-00-0 formaldehyde

5%

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases H301 Toxic if swallowed.

(Contd. on page 10)



Page 10/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.05.2024 Version number 26 (replaces version 25) Revision: 08.05.2024

#### Trade name MC-Color Proof pro

(Contd. of page 9) H302 Harmful if swallowed. H310 Fatal in contact with skin. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H350 May cause cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract.

· Department issuing data specification sheet:

Environment protection department.

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity - Category 2

Skin Corr. 1: Skin corrosion/irritation - Category 1 Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A

Muta. 2: Germ cell mutagenicity - Category 2

Carc. 1B: Carcinogenicity - Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard -

Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic

hazard - Category 1

\* \* Data compared to the previous version altered.