

Page 1/8

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024

Version number 33 (replaces version 32)

Revision: 24.05.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Trade name	<u>MC-RIM PW 301</u>
Article number: 1.2 Relevant identified uses of the substance or mixture	1145
and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Concrete surfacer Ready-mixed mortar
1.3 Details of the supplier of t	he safety data sheet
Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG
	Am Kruppwald 1-8
	D-46238 Bottrop
	Tel.: +49(0)2041-101-0
	Fax.: +49(0)2041-101-400
	E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG
	Hagackerstr. 10
	CH-8953 Dietikon
	Tel.: +44-7400510
	Fax : +44-7400533
Informing department: 1.4 Emergency telephone	msds@mc-bauchemie.de
number:	Tel.: +49 / (0)700 24112112 (MCR)
	Tel.: +1 872 5888271 (MCR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

• Labelling according to • Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP

· Hazard pictograms



· Signal word

(Contd. on page 2)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024

Version number 33 (replaces version 32)

Revision: 24.05.2024

Page 2/8

Trade name MC-RIM PW 301

		(Contd. of page 1)
· Hazard-determining		
components of labelling:	Portland cement	t
, 0	Fly ash Portland	l cement
 Hazard statements 	H315 Causes sl	kin irritation.
	H318 Causes se	erious eye damage.
	H335 May cause	e respiratory irritation.
 Precautionary statements 	P261	Avoid breathing dust/fume/gas/mist/vapours/ spray.
	P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P362+P364	Take off contaminated clothing and wash it before reuse.
	P403+P233	Store in a well-ventilated place. Keep container tightly closed.
· Additional information:		ns Calcium sulfoaluminate clinker. May produce an
 2.3 Other hazards Results of PBT and vPvB ass 	-	
· PBT:	Not applicable.	
· vPvB:	Not applicable.	

SECTION 3: Composition/information on ingredients

• 3.2 Mixtures • Description:

Mixture consisting of the following components.

· Dangerous components:		
CAS: 65997-15-1	Portland cement	<i>≥</i> 20- <i>≤</i> 30%
EINECS: 266-043-4	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 68475-76-3	Fly ash Portland cement	≥1-<1.5%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
EC number: 934-133-9	Calcium sulfoaluminate clinker	<i>≥</i> 0.1-<1%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	
• Additional information For the wording of the listed hazard phrases refer to section 16.		ction 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• After inhalation

Supply fresh air.

After skin contact
 After eye contact
 Instantly wash with water and soap and rinse thoroughly.
 Rinse opened eye for several minutes under running water.
 Seek medical treatment.

(Contd. on page 3)

GB



Page 3/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024

Version number 33 (replaces version 32)

Revision: 24.05.2024

Trade name MC-RIM PW 301

After swallowing

Rinse out mouth and then drink plenty of water. Seek medical treatment. (Contd. of page 2)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture
 5.3 Advice for firefighters

No further relevant information available.

• **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures 6.2 Environmental 	Not required.
 6.2 Environmental precautions: 6.3 Methods and material for containment and cleaning up: 	No special measures required. Collect mechanically.
6.4 Reference to other sections	See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

storage conditions: Storage class	Keep container tightly sealed. 13
one common storage facility: Further information about	Not required.
• Requirements to be met by storerooms and containers: • Information about storage in	No special requirements.
 7.2 Conditions for safe storag Storage 	e, including any incompatibilities
handling Information about protection against explosions and fires:	
• 7.1 Precautions for safe	Prevent formation of dust.

(Contd. on page 4)



Page 4/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024

Version number 33 (replaces version 32)

Revision: 24.05.2024

(Contd. of page 3)

Trade name MC-RIM PW 301

SECTION 8: Exposure	controls/personal protection	
8.1 Control parameters		
Components with critical values that require monitoring at the workplace: CAS: 65997-15-1 Portland cement		
*inhalable dust **respir	rable dust	
· DNELs		
CAS: 65997-15-1 Portland	cement	
Inhalative DNEL 1 mg/m³ (A	ArL)	
Additional information:	The lists that were valid during the compilation were used as ba	
[•] 8.2 Exposure controls		
· Appropriate engineering		
controls	No further data; see section 7.	
	ures, such as personal protective equipment	
General protective and		
hygienic measures	Keep away from foodstuffs, beverages and food.	
	Instantly remove any soiled and impregnated garments.	
	Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin.	
· Breathing equipment:	Wear respiratory protection in case of insufficient ventilation.	
Broading equipment.	The selection of respirators (EN 14387) must be based on	
	known or anticipated exposure concentrations, the hazards of	
	product and the occupational exposure limits (section 8.1) of	
	respirator in question.	
	Particle filter PP1: Inert substance; P2, P3: Hazardous substan	
	Provide adequate ventilation. This can be achieved by lo	
	exhaust ventilation or general exhaust ventilation.	
	(EN 689 - Methods for determining inhalation exposure) This applies especially at the mixing or stirring place.	
	If this is not sufficient to keep the concentration below	
	occupational exposure limit, provide respiratory protection.	
· Hand protection	Protective gloves.	
-	Selection of the glove material on consideration of the penetra	
	times, rates of diffusion and the degradation	
	After use of gloves apply skin-cleaning agents and skin cosmet	
[.] Material of gloves	Strong gloves	
	The selection of the suitable gloves does not only depend on material, but also on further marks of quality and varies f	
	material, but also on futther marks of quality and varies i manufacturer to manufacturer. As the product is a preparatio	
	several substances, the resistance of the glove material can no	
	calculated in advance and has therefore to be checked prior to	
	application.	
· Penetration time of glove		
material	The exact breakthrough time must be obtained from the protec glove manufacturer and must be observed.	
· Eye/face protection	Not required.	
· · · · · · · · · · · · · · · · · · ·	(Contd. on pa	



Page 5/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024

Version number 33 (replaces version 32)

Revision: 24.05.2024

Trade name MC-RIM PW 301

· Body protection:

Protective work clothing.

(Contd. of page 4)

9.1 Information on basic physical and che	mical properties
General Information	
Colour:	Grey
Smell:	Odourless
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and	
boiling range	2230 °C (CAS: 14808-60-7 Quartz (SiO2))
Flash point:	Not applicable
рН	Not applicable.
Viscosity:	
Kinematic viscosity	Not applicable.
dynamic:	Not applicable.
Solubility	
Water:	Unsoluble
Steam pressure at 1732 °C:	13.5 hPa (CAS: 14808-60-7 Quartz (SiO2))
Density and/or relative density	
Density	Not determined
9.2 Other information	
Appearance:	
Form:	Powder
Important information on protection of hea	
and environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
· · · ·	· · · · · · · · · · · · · · · · · · ·
Information with regard to physical haz classes	aru
Explosives	Void
Explosives Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024

Version number 33 (replaces version 32)

Revision: 24.05.2024

(Contd. of page 5)

Page 6/8

Trade name MC-RIM PW 301

· Corrosive to metals · Desensitised explosives

Void Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity

10.2 Chemical stability
 Thermal decomposition /

No further relevant information available.

No decomposition if used according to specifications.

- conditions to be avoided: • 10.3 Possibility of hazardous reactions • 10.4 Conditions to avoid • 10.5 Incompatible materials:
 - No dangerous reactions known No further relevant information available.
 - No further relevant information available.
- 10.6 Hazardous decomposition products:

No dangerous decomposition products known

SECTION 11: Toxicological information

• **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Based on available data, the classification criteria are not met.

 LD/LC50 values that are relevant for classification: CAS: 65997-15-1 Portland cement

Dermal LD50 2000 mg/kg (rabbit)

- Inhalative LC50/4 h 5 mg/l (rat)
- Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye damage.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity
 Based on available data, the classification criteria are not met.
 Reproductive toxicity
 Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met. • Aspiration hazard Based on available data, the classification criteria are not met.
- Aspiration hazard Bas • 11.2 Information on other hazards
- · Endocrine disrupting properties
- None of the ingredients is listed.
- **SECTION 12: Ecological information**
- · 12.1 Toxicity
- · Aquatic toxicity:
 - No further relevant information available.
- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential

No further relevant information available.

No further relevant information available.

(Contd. on page 7)

GB



Page 7/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024

Version number 33 (replaces version 32)

Revision: 24.05.2024

Trade name MC-RIM PW 301

	(Contd. of page 6)		
 12.4 Mobility in soil 	No further relevant information available.		
12.5 Results of PBT and	vPvB assessment		
· PBT:	Not applicable.		
· vPvB:	Not applicable.		
• 12.6 Endocrine disrupting	g		
properties	The product does not contain substances with endocrine disrupting properties.		
· 12.7 Other adverse effect	's		
Additional ecological information:			
· General notes:	Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.		

SECTION 13: Disposal considerations

 13.1 Waste treatment method Recommendation 	ds Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Uncleaned packagings: Recommendation: 	Non contaminated packagings can be used for recycling.

SECTION 14: Transport information

 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	Void
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
 14.6 Special precautions for user 	Not applicable.
14.7 Maritime transport in bulk accordin IMO instruments	g to Not applicable.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/



Page 8/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024

Version number 33 (replaces version 32)

Revision: 24.05.2024

Trade name MC-RIM PW 301

(Contd. of page 7) · legislation specific for the substance or mixture No further relevant information available. · Poisons Act · Regulated explosives precursors None of the ingredients is listed. · Regulated poisons None of the ingredients is listed. · Reportable explosives precursors None of the ingredients is listed. · Reportable poisons None of the ingredients is listed. · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.
· Department issuing data	
specification sheet:	Environment protection department.
Abbreviations and acronyms:	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic VPVB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
	Skin Sens. 1: Skin sensitisation – Category 1
	STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
 * Data compared to the previous version altered. 	