

Page 1/11

## Safety data sheet according to UK REACH

Printing date 28.06.2024 Version number 42 (replaces version 41) Revision: 28.06.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name Repacryl

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance

/ the mixture Plastic additive

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department:

msds@mc-bauchemie.de

· 1.4 Emergency telephone

number:

Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +1 872 5888271 (MCR)

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

STOT RE 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

- · 2.2 Label elements
- · Labelling according to

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS08

· Signal word Danger

· Hazard-determining

components of labelling: crystalline silica

Hazard statements H372 Causes damage to the lung through prolonged or repeated

exposure. Route of exposure: Inhalation.

(Contd. on page 2)



Page 2/11

## Safety data sheet according to UK REACH

Printing date 28.06.2024 Version number 42 (replaces version 41) Revision: 28.06.2024

#### Trade name Repacryl

(Contd. of page 1)

• Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container in accordance with local/

regional/national/international regulations.

· Additional information: EUH208 Contains 2-octyl-2H-isothiazol-3-one, reaction mass of: 5-

chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3: 1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic

reaction.

EUH211 Warning! Hazardous respirable droplets may be formed

when sprayed. Do not breathe spray or mist.

Contains biocidal products: 1,2-benzisothiazol-3(2H)-one, 2-octyl-2H-isothiazol-3-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-

3-one [EC no. 220-239-6] (3:1)

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture consisting of the following components.

acrylic dispersion

Dangerous components		
CAS: 14808-60-7	crystalline silica STOT RE 1, H372	30-60%
CAS: 1317-65-3	Calcium carbonate substance with a Community workplace exposure limit	10-30%
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide Carc. 2, H351	<i>≥</i> 1-<2.5%
		(Contd. on page 3)

GB



Page 3/11

# Safety data sheet according to UK REACH

Printing date 28.06.2024 Version number 42 (replaces version 41) Revision: 28.06.2024

#### Trade name Repacryl

		(Contd. of page 2
CAS: 1336-21-6 EINECS: 215-647-6 Reg.nr.: 01-2119488876-14- xxxx	ammonia Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; STOT SE 3, H335 Specific concentration limit: STOT SE 3;H335: C ≥ 5 %	≥0.25-<0.5%
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1;H317: C ≥ 0.05 %	<0.025%
CAS: 26530-20-1 EINECS: 247-761-7	2-octyl-2H-isothiazol-3-one  Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071  ATE: LD50 oral: 125 mg/kg  LD50 dermal: 311 mg/kg  LC50/4 h inhalative: 0.27 mg/l  Specific concentration limit: Skin Sens. 1A;H317: C ≥ 0.0015 %	≥0.00025-<0.0015%
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)  Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits:  Skin Corr. 1C;H314: $C \ge 0.6$ % Skin Irrit. 2; H315: $0.06$ % $\le C < 0.6$ % Eye Dam. 1; H318: $C \ge 0.6$ % Skin Sens. 1A; H317: $C \ge 0.0015$ %	≥0.00025-<0.0015%

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

General information No special measures required.

· After inhalation Void

· After skin contact The product is not skin irritating.

• After eye contact Rinse opened eye for several minutes under running water.

(Contd. on page 4)



Page 4/11

## Safety data sheet according to UK REACH

Printing date 28.06.2024 Version number 42 (replaces version 41) Revision: 28.06.2024

Trade name Repacryl

(Contd. of page 3)

· After swallowing Rinse out mouth and then drink plenty of water.

Seek medical treatment.

## **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

· Suitable extinguishing agents Void

• 5.2 Special hazards arising from the substance or

mixture No further relevant information available.

· 5.3 Advice for firefighters

• Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

**emergency procedures** Not required.

6.2 Environmental

precautions: No special measures required.

6.3 Methods and material for

containment and cleaning up: Collect mechanically.

· 6.4 Reference to other

sections No dangerous materials are released.

## SECTION 7: Handling and storage

· 7.1 Precautions for safe

**handling** No special measures required.

Information about protection

against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: None.
Storage class 6.1D

GB



Page 5/11

## Safety data sheet according to UK REACH

Revision: 28.06.2024 Printing date 28.06.2024 Version number 42 (replaces version 41)

Trade name Repacryl

(Contd. of page 4)

### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

CAS: 1317-65-3 Calcium carbonate

WEL Long-term value: 10\* 4\*\* mg/m3 \*inhalable dust; \*\*respirable

· DNELs

CAS: 1317-65-3 Calcium carbonate

DNEL 6.1 mg/kg bw/Tag (ArL)

Inhalative DNEL 10 mg/m³ (ArL)

PNECs

CAS: 1317-65-3 Calcium carbonate

PNEC 100 mg/l (Sewage Treatment Plant)

Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

The usual precautionary measures should be adhered to in hygienic measures

handling the chemicals.

Not required. · Breathing equipment: Not required. · Hand protection

· Material of gloves · Penetration time of glove

material

Eye/face protection Not required.

### SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Grey

· Smell: Characteristic · Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

100 °C (CAS: 7732-18-5 water, distilled, boiling range

conductivity or of similar purity)

· Flash point: Not applicable

· pH at 20 °C

· Viscosity:

· Kinematic viscosity Not determined.

(Contd. on page 6)



Page 6/11

## Safety data sheet according to UK REACH

Version number 42 (replaces version 41) Revision: 28.06.2024 Printing date 28.06.2024

#### Trade name Repacryl

(Contd. of page 5)

· dynamic at 20 °C:

· Solubility · Water:

· Steam pressure at 20 °C:

conductivity or of similar purity)

· Density and/or relative density

· Density at 20 °C

1.6 g/cm<sup>3</sup>

35000 mPas

Fully miscible

23 hPa (CAS: 7732-18-5 water, distilled,

· 9.2 Other information

· Appearance:

· Form:

Pasty

· Important information on protection of health

and environment, and on safety.

· Self-inflammability: Product is not selfigniting. · Explosive properties: Product is not explosive.

· Information with regard to physical hazard

classes

 Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void

Void · Oxidising solids Void · Organic peroxides · Corrosive to metals Void · Desensitised explosives Void

## SECTION 10: Stability and reactivity

No further relevant information available. · 10.1 Reactivity

10.2 Chemical stability Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

· 10.4 Conditions to avoid No further relevant information available. No further relevant information available. · 10.5 Incompatible materials:

(Contd. on page 7)



BE SURE. BUILD SURE.

Page 7/11

Printing date 28.06.2024

according to UK REACH

Version number 42 (replaces version 41)

Revision: 28.06.2024

### Trade name Repacryl

(Contd. of page 6)

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)
CAS: 134	63-67-7 tit	anium dioxide
Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>10000 mg/kg (rabbit)
Inhalative	LC50/4 h	>6.8 mg/l (rat)
CAS: 263	4-33-5 1,2·	benzisothiazol-3(2H)-one
Oral	LD50	1020 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)
CAS: 265	30-20-1 2-	octyl-2H-isothiazol-3-one
Oral	LD50	125 mg/kg (ATE)
		500 mg/kg (rat)
Dermal	LD50	311 mg/kg (ATE)
		>2000 mg/kg (rat)
Inhalative	LC50/4 h	0.27 mg/l (ATE)
		0.6 mg/l (rat)

Oral	LD50	49.6-75 mg/kg (rat)
		87.12 mg/kg (rabbit)
Inhalative	LC50/4 h	0.171 mg/l (rat)

· Skin corrosion/irritation	Based on available data, the classification criteria are not met.
· Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT-single exposure	Based on available data, the classification criteria are not met.
STOT-repeated exposure	Causes damage to the lung through prolonged or repeated
	exposure. Route of exposure: Inhalation.

· **Aspiration hazard** Based on available data, the classification criteria are not met. (Contd. on page 8)



Page 8/11

## Safety data sheet according to UK REACH

Printing date 28.06.2024 Version number 42 (replaces version 41) Revision: 28.06.2024

#### Trade name Repacryl

(Contd. of page 7)

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

#### · 12.1 Toxicity

	A	4:-	4	.: - :4	١
•	Αa	uatic	tox	icitv:	

#### CAS: 1317-65-3 Calcium carbonate

EC50/72h >14 mg/l (Desmodesmus subspicatus)

LC50/96h >10000 mg/l (Oncorhynchus mykiss)

LC50/48h >1000 mg/l (Daphnia magna)

EC50/48h >1000 mg/l (Daphnia magna)

### CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EC50/72h 0.067 mg/l (Pseudokirchneriella subcapitata)

0.11 mg/l (Selenastrum capricornutum)

LC50/96h | 1.6 mg/l (Oncorhynchus mykiss)

EC50/48h 1.1 mg/l (Daphnia magna)

CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one

EC50/48h | 0.42 mg/l (Daphnien)

## CAS: 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

LC50/24h | 0.19 mg/l (fish)

EC50/72h 0.027 mg/l (Pseudokirchneriella subcapitata)

LC50/96h | 0.19 mg/l (Oncorhynchus mykiss)

LC50/48h | 0.28 mg/l (fish)

EC50/48h | 0.16 mg/l (Daphnia magna)

NOEC 0.02 mg/l (Oncorhynchus mykiss)

0.00049 mg/l (Ske)

0.1 mg/l (Daphnia magna)

### · 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

• 12.5 Results of PBT and vPvB assessment
• PBT:
• vPvB:
Not applicable.
Not applicable.

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

properties.

(Contd. on page 9)



Page 9/11

## Safety data sheet according to UK REACH

Version number 42 (replaces version 41) Revision: 28.06.2024 Printing date 28.06.2024

#### Trade name Repacryl

(Contd. of page 8)

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Dispose of packaging according to regulations on the disposal of

packagings.

Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

· Recommended cleaning

Water, if necessary with cleaning agent. agent:

SECTION 14: Transport inform	ation
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk accord	<b>ding to</b> Not applicable.
· Transport/Additional information:	Not dangerous according to the abov specifications.
· UN "Model Regulation":	Void



Page 10/11

## Safety data sheet according to UK REACH

Printing date 28.06.2024 Version number 42 (replaces version 41) Revision: 28.06.2024

Trade name Repacryl

(Contd. of page 9)

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/ legislation specific for the

substance or mixture

No further relevant information available.

· Poisons Act

Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

CAS: 1336-21-6 ammonia

10%

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases	H301	Toxic if swallowed.
•	H302	Harmful if swallowed.
	H310	Fatal in contact with skin.
	H311	Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated

exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

· Department issuing data

**specification sheet:** Environment protection department.

Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

(Contd. on page 11)



Page 11/11

## Safety data sheet according to UK REACH

Printing date 28.06.2024

Version number 42 (replaces version 41)

#### Trade name Repacryl

(Contd. of page 10)

Revision: 28.06.2024

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values
Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1: Skin corrosion/irritation – Category 1
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A

Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

\* Data compared to the previous version altered.

GB