

Page 1/10

### Safety data sheet according to UK REACH

Printing date 10.12.2024

Version number 40 (replaces version 39)

Revision: 08.12.2024

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier	
· Trade name	MC-DUR 1177 WV-A - Komponente B
<ul> <li>Article number:</li> <li>1.2 Relevant identified uses of the substance or mixture</li> </ul>	1353
and uses advised against • Application of the substance	No further relevant information available.
/ the mixture	Epoxy impregnation EP-Additives Hardening agent/ Curing agent
· 1.3 Details of the supplier of t	he safety data sheet
Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
<ul> <li>Informing department:</li> <li>1.4 Emergency telephone</li> </ul>	msds@mc-bauchemie.de
number:	Tel.: +49 /  (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)

### **SECTION 2: Hazards identification**

<sup>.</sup> 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

· Labelling according to

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



Danger

· Signal word

(Contd. on page 2)

GB



Page 2/10

### Safety data sheet according to UK REACH

Printing date 10.12.2024

Version number 40 (replaces version 39)

Revision: 08.12.2024

#### Trade name MC-DUR 1177 WV-A - Komponente B

		(Contd. of page 1)
Hazard-determining		
components of labelling:	Polymer Epoxic	dharz-Addukt
	Aminpolymer	
	3,6,9-triazaund	ecamethylenediamine
Hazard statements	H318 Causes s	erious eye damage.
	H317 May caus	se an allergic skin reaction.
Precautionary statements	P261	Avoid breathing dust/fume/gas/mist/vapours/ spray.
	P280	Wear protective gloves / eye protection / face protection.
	P305+P351+P3	338 <sup>°</sup> IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P362+P364	Take off contaminated clothing and wash it
	100211001	before reuse.
2.3 Other hazards		
Results of PBT and vPvB as	sessment	
PBT:	Not applicable.	

### · **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

· 3.2 Mixtures · Description:

Mixture consisting of the following components.

CAS: 260549-92-6	Polymer Epoxidharz-Addukt	30-60%
	Eye Dam. 1, H318	
CAS: 180583-06-6	Aminpolymer	10-30%
	Skin Sens. 1, H317	
CAS: 112-57-2	3,6,9-triazaundecamethylenediamine	≥0.25-<0.5%
EINECS: 203-986-2	Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317	

### SECTION 4: First aid measures

• 4.1 Description of first aid measures
 • General information
 • After inhalation
 • After skin contact
 • After skin contact

(Contd. on page 3)

GB



Page 3/10

### Safety data sheet according to UK REACH

Printing date 10.12.2024

Version number 40 (replaces version 39)

Revision: 08.12.2024

#### Trade name MC-DUR 1177 WV-A - Komponente B

(Contd. of page 2) · After eye contact Rinse opened eye for several minutes under running water. Call a doctor immediately · After swallowing Rinse mouth with water. Never give anything by mouth to an unconscious person. DO NOT induce vomiting. If symptoms

persist, consult a doctor. · 4.2 Most important symptoms and effects, both acute and delayed

Advice for the doctor: Elementary aid, decontamination, symptomatic treatment.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture · 5.3 Advice for firefighters No special measures required.

No further relevant information available.

· Protective equipment:

**SECTION 6: Accidental release measures** 

<ul> <li>6.1 Personal precautions, protective equipment and emergency procedures</li> <li>6.2 Environmental</li> </ul>	Not required.
precautions:	Prevent material from reaching sewage system, holes and cellars. Dilute with much water.
• 6.3 Methods and material for	
containment and cleaning up	<ul> <li>Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).</li> </ul>
	Dispose of contaminated material as waste according to item 13.
• 6.4 Reference to other	
sections	See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

### SECTION 7: Handling and storage

7 4 Due e e utie une feix e efe

· 1.1 Precautions for safe	
handling	Open and handle containers with care.
	Ventilation measures are required in rooms without sufficient air exchange (e.g. closed rooms),
	because the occupational exposure limit values (see chapter 8) could be exceeded. This must be avoided.
	Wear suitable personal protective equipment (see section 8). Avoid contact with eyes, skin and clothing. Change contaminated or
	(Contd. on page 4)



\*

Page 4/10

# Safety data sheet according to UK REACH

Printing date 10.12.2024

Version number 40 (replaces version 39)

Revision: 08.12.2024

### Trade name MC-DUR 1177 WV-A - Komponente B

			(Contd. of page 3
· Inform	ation abou	t protection	damaged gloves and contaminated clothing immediately and wash skin immediately. Mix slowly, partially covering the mixing container. Pour carefully and slowly when repotting. Observe the BGBau technical data sheet and practical guide for handling epoxy resins.
			Ensure sufficient air exchange and/or extraction in the working areas. Take precautionary measures to avoid electrostation discharges.
· 7.2 Coi	nditions fo	r safe storag	e, including any incompatibilities
Storag			
storero		be met by containers: ion about	No special requirements.
	e conditio		Protect from heat and direct sunlight. 12
SECT	ION 8: E	xposure co	ontrols/personal protection
· 8.1 Cor	ntrol paran	neters	
	onents with		
values	that requi	re	
	that requi		The product does not contain any relevant quantities of material with critical values that have to be monitored at the workplace.
monito <sup>.</sup> DNELs	that requi ring at the	e workplace:	with critical values that have to be monitored at the workplace.
monito DNELs CAS: 1	that requi ring at the 12-57-2 3,0	e workplace: 6,9-triazaund	with critical values that have to be monitored at the workplace.
monito <sup>.</sup> DNELs	that requi ring at the 12-57-2 3, DNEL	<b>workplace:</b> 6,9-triazaund 0.53 mg/kg bv	with critical values that have to be monitored at the workplace. ecamethylenediamine w/Tag (ArL)
monito DNELs CAS: 1	that requi ring at the 12-57-2 3, DNEL	e workplace: 6,9-triazaund	with critical values that have to be monitored at the workplace. ecamethylenediamine w/Tag (ArL)
monito DNELs CAS: 1 Oral Dermal	that requi ring at the 12-57-2 3, DNEL DNEL	<b>workplace:</b> 6,9-triazaund 0.53 mg/kg bv	with critical values that have to be monitored at the workplace. ecamethylenediamine w/Tag (ArL) w/day (ArL)
monito DNELs CAS: 1 Oral Dermal	that requi ring at the <b>12-57-2 3,</b> DNEL DNEL ve DNEL	<b>workplace:</b> 6,9-triazaund 0.53 mg/kg bv 0.74 mg/kg bv	with critical values that have to be monitored at the workplace. ecamethylenediamine w/Tag (ArL) w/day (ArL)
• DNELs CAS: 1 Oral Dermal Inhalati	that requi ring at the 12-57-2 3, DNEL DNEL ve DNEL	<b>workplace:</b> 6 <b>,9-triazaund</b> 0.53 mg/kg bv 0.74 mg/kg bv 6940 mg/m <sup>3</sup> (.	with critical values that have to be monitored at the workplace. ecamethylenediamine w/Tag (ArL) w/day (ArL) ArL)
monito DNELs CAS: 1 Oral Dermal Inhalati PNECs CAS: 1	that requi ring at the 12-57-2 3, DNEL DNEL ve DNEL 12-57-2 3,	<b>e workplace:</b> 6,9-triazaund 0.53 mg/kg bv 0.74 mg/kg bv 6940 mg/m <sup>3</sup> (. 6,9-triazaund	with critical values that have to be monitored at the workplace. ecamethylenediamine w/Tag (ArL) w/day (ArL)
monito DNELs CAS: 1 Oral Dermal Inhalati PNECs CAS: 1 PNEC	that requi ring at the <b>12-57-2 3,</b> DNEL DNEL ve DNEL <b>12-57-2 3,</b> 9.73 mg/l (	<b>e workplace:</b> 6,9-triazaund 0.53 mg/kg bv 0.74 mg/kg bv 6940 mg/m <sup>3</sup> (. 6,9-triazaund BEL)	with critical values that have to be monitored at the workplace. ecamethylenediamine w/Tag (ArL) w/day (ArL) ArL) ecamethylenediamine
monito DNELs CAS: 1 Oral Dermal Inhalati PNECs CAS: 1 PNEC	that requi ring at the 12-57-2 3, DNEL DNEL ve DNEL 12-57-2 3, 9.73 mg/l ( 0.0068 mg	e workplace: 6,9-triazaund 0.53 mg/kg bv 0.74 mg/kg bv 6940 mg/m <sup>3</sup> ( 6,9-triazaund BEL) /l (Fresh wate	with critical values that have to be monitored at the workplace. ecamethylenediamine w/Tag (ArL) w/day (ArL) ArL) ecamethylenediamine
monito DNELs CAS: 1 Oral Dermal Inhalati PNECs CAS: 1 PNEC	that requi ring at the <b>12-57-2 3,</b> DNEL DNEL Ve DNEL <b>12-57-2 3,</b> 9.73 mg/l ( 0.0068 mg 0.0068 mg	e workplace: <b>6,9-triazaund</b> 0.53 mg/kg bv 0.74 mg/kg bv 6940 mg/m <sup>3</sup> (. <b>6,9-triazaund</b> BEL) /I (Fresh wate /I (Mew)	with critical values that have to be monitored at the workplace. ecamethylenediamine w/Tag (ArL) w/day (ArL) ArL) ecamethylenediamine r)
monito	that requi ring at the <b>12-57-2 3,</b> DNEL DNEL Ve DNEL <b>12-57-2 3,</b> 9.73 mg/l 0.0068 mg 0.0068 mg/l	e workplace: <b>6,9-triazaund</b> 0.53 mg/kg bv 0.74 mg/kg bv 6940 mg/m <sup>3</sup> ( <b>6,9-triazaund</b> BEL) /I (Fresh wate /I (Mew) kg dwt (Sedim	with critical values that have to be monitored at the workplace. ecamethylenediamine w/Tag (ArL) w/day (ArL) ArL) ecamethylenediamine r) ent)
monito	that requisiring at the ring at the <b>12-57-2 3,</b> DNEL DNEL ve DNEL <b>12-57-2 3,</b> 9.73 mg/l ( 0.0068 mg 0.0068 mg/l 3.43 mg/kg	e workplace: 6,9-triazaund 0.53 mg/kg bv 0.74 mg/kg bv 6940 mg/m³ (. 6940 mg/m³ (. 6940 mg/m³ (. 6,9-triazaund BEL) /I (Fresh wate /I (Mew) kg dwt (Sedim g dwt (Fresh w	with critical values that have to be monitored at the workplace. ecamethylenediamine w/Tag (ArL) w/day (ArL) ArL) ecamethylenediamine r) ent) vater sediment)
monito	that requi ring at the <b>12-57-2 3,</b> DNEL DNEL DNEL <b>12-57-2 3,</b> 0.73 mg/l 0.0068 mg 0.343 mg/kg 3.43 mg/kg <b>0.11 inform</b>	e workplace: 6,9-triazaund 0.53 mg/kg bv 0.74 mg/kg bv 6940 mg/m <sup>3</sup> ( 6,9-triazaund BEL) /I (Fresh wate /I (Mew) kg dwt (Sedim g dwt (Fresh wate) ation:	with critical values that have to be monitored at the workplace. ecamethylenediamine w/Tag (ArL) w/day (ArL) ArL) ecamethylenediamine r) ent) vater sediment)
monito	that requi ring at the 12-57-2 3, DNEL DNEL DNEL 20068 mg 0.0068 mg 0.343 mg/kg 0.343 mg/kg 0.343 mg/kg 0.0068 mg	e workplace: 6,9-triazaund 0.53 mg/kg bv 0.74 mg/kg bv 6940 mg/m³ ( 6940 mg/m³ ( 6940 mg/m³ ( 6940 mg/m³ ( 6940 mg/m³ ( 6940 mg/m³ ( 6940 mg/kg bv 6940 mg/m³ ( 6940 mg/m³	with critical values that have to be monitored at the workplace. ecamethylenediamine w/Tag (ArL) w/day (ArL) ArL) ecamethylenediamine r) ent) vater sediment)
monito	that requi ring at the 12-57-2 3, DNEL DNEL DNEL 20068 mg 0.0068 mg 0.0068 mg 0.343 mg/kg 0.343 mg/kg onal inform posure cor priate engi	e workplace: 6,9-triazaund 0.53 mg/kg bv 0.74 mg/kg bv 6940 mg/m³ ( 6940 mg/m³ ( 6940 mg/m³ ( 6940 mg/m³ ( 6940 mg/m³ ( 6940 mg/m³ ( 6940 mg/kg bv 6940 mg/m³ ( 6940 mg/m³	with critical values that have to be monitored at the workplace. ecamethylenediamine w/Tag (ArL) w/day (ArL) ArL) ecamethylenediamine r) ent) vater sediment) The lists that were valid during the compilation were used as basis
monito	that requisiring at the ring at the 12-57-2 3, DNEL DNEL DNEL 20068 mg 0.0068 mg 0.0068 mg 0.0068 mg 0.343 mg/kg 0.343 mg/kg onal inform posure con priate engi	e workplace: 6,9-triazaund 0.53 mg/kg bv 0.74 mg/kg bv 6940 mg/m³ ( 6940 mg/kg bv 6940 mg/m³ ( 6940 mg/m³ (	with critical values that have to be monitored at the workplace. ecamethylenediamine w/Tag (ArL) w/day (ArL) ArL) ecamethylenediamine r) ent) vater sediment) The lists that were valid during the compilation were used as basis No further data; see section 7.
monito	that requisiring at the ring at the <b>12-57-2 3,</b> DNEL DNEL DNEL UNEL <b>12-57-2 3,</b> 9.73 mg/l ( 0.0068 mg 0.343 mg/kg 0.343 mg/kg	e workplace: 6,9-triazaund 0.53 mg/kg bv 0.74 mg/kg bv 6940 mg/m³ (. 6940 mg/m³ (. 6,9-triazaund BEL) /I (Fresh wate /I (Kew) kg dwt (Sedim g dwt (Fresh wate of dwt (Fresh wate for the sure for the sure tion measure	with critical values that have to be monitored at the workplace. ecamethylenediamine w/Tag (ArL) w/day (ArL) ArL) ecamethylenediamine r) ent) vater sediment) The lists that were valid during the compilation were used as basis
monito DNELs CAS: 1 Oral Dermal Inhalati PNEC PNEC PNEC Additio 8.2 Exp Approp control Individ Genera	that requisiring at the ring at the 12-57-2 3, DNEL DNEL DNEL 20068 mg 0.0068 mg 0.0068 mg 0.0068 mg 0.343 mg/kg 0.343 mg/kg onal inform posure con priate engi	e workplace: 6,9-triazaund 0.53 mg/kg bv 0.74 mg/kg bv 6940 mg/m³ ( 6940 mg/m³ ( 6,9-triazaund BEL) // (Fresh wate // (Mew) kg dwt (Sedim g dwt (Fresh wate // (Mew) kg dwt (Fresh wate // (Mew) // (Mew)	ecamethylenediamine w/Tag (ArL) w/day (ArL) ArL) ecamethylenediamine r) ent) vater sediment) The lists that were valid during the compilation were used as basis No further data; see section 7.
monito DNELs CAS: 1 Oral Dermal Inhalati PNEC PNEC PNEC Additio 8.2 Exp Approp control Individ Genera	that requisiring at the ring at the <b>12-57-2 3</b> , DNEL DNEL DNEL (DNEL DNEL DNEL (0.0068 mg 0.0068 mg 0.343 mg/kg 0.343 mg/kg	e workplace: 6,9-triazaund 0.53 mg/kg bv 0.74 mg/kg bv 6940 mg/m³ ( 6940 mg/m³ ( 6,9-triazaund BEL) // (Fresh wate // (Mew) kg dwt (Sedim g dwt (Fresh wate // (Mew) kg dwt (Fresh wate // (Mew) // (Mew)	with critical values that have to be monitored at the workplace. ecamethylenediamine w/Tag (ArL) w/day (ArL) ArL) ecamethylenediamine r) ent) vater sediment) The lists that were valid during the compilation were used as basis No further data; see section 7. es, such as personal protective equipment Keep away from food, drink and animal feed. Remove soiled, soaked clothing immediately.
monito DNELs CAS: 1 Oral Dermal Inhalati PNEC PNEC PNEC Additio 8.2 Exp Approp control Individ Genera	that requisiring at the ring at the <b>12-57-2 3</b> , DNEL DNEL DNEL (DNEL DNEL DNEL (0.0068 mg 0.0068 mg 0.343 mg/kg 0.343 mg/kg	e workplace: 6,9-triazaund 0.53 mg/kg bv 0.74 mg/kg bv 6940 mg/m³ ( 6940 mg/m³ ( 6,9-triazaund BEL) // (Fresh wate // (Mew) kg dwt (Sedim g dwt (Fresh wate // (Mew) kg dwt (Fresh wate // (Mew) // (Mew)	with critical values that have to be monitored at the workplace. ecamethylenediamine w/Tag (ArL) w/day (ArL) ArL) ecamethylenediamine r) ent) vater sediment) The lists that were valid during the compilation were used as basis No further data; see section 7. es, such as personal protective equipment Keep away from food, drink and animal feed.



Page 5/10

# Safety data sheet according to UK REACH

Printing date 10.12.2024

Version number 40 (replaces version 39)

Revision: 08.12.2024

### Trade name MC-DUR 1177 WV-A - Komponente B

	(Contd. of page 4)
	Avoid contact with eyes and skin.
· Breathing equipment:	If workplace limit values cannot be complied with by ventilation measures or if rooms cannot be technically ventilated, respiratory protection must be worn: Use combination filter A1-P2 (brown/ white) in rooms that cannot be ventilated. If oxygen deficiency is expected, use self-contained breathing apparatus. Observe wearing time limits according to §9 (3) GefStoffV in conjunction with BGR 190.
· Hand protection	Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
• Material of gloves	You can find help with choosing gloves on the website https:// www.bgbau.de/fileadmin/Gisbau/Projekte.pdf For example, we recommend the Sol-vex 37-900 protective gloves from Ansell GmbH. The breakthrough time of the protective gloves can be found under point 8 "Penetration time of the glove material". The selection of a suitable glove depends not only on the material, but also on other quality features and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of glove materials cannot be calculated in advance and must therefore be checked before use. Nitrile rubber Recommended material thickness:≥ 0.4 mm
· Penetration time of glove	
material	The breakthrough times of the Sol-vex 37-900 protective gloves are around 8 hours. The following applies to all other gloves: The exact breakthrough time must be obtained from the protective glove manufacturer and adhered to. Nitrile rubber Material thickness: $\geq 0.40$ mm Penetration time: $\geq 480$ min Butyl rubber: Material thickness: $\geq 0.5$ mm Penetration time: $\geq 480$ min
• Eye/face protection	Tight-fitting safety goggles. Safety goggles.
· Body protection:	Protective clothing Suitable protective clothing should be worn when working with epoxy resins. In addition to normal work clothing (long trousers, long-sleeved shirt or T-shirt), disposable overalls, aprons, overshoes, sleeve protectors etc. may be necessary depending on the activity. Uncovered areas of skin should be avoided as far as possible, even in hot weather. If the work involves kneeling, the lower leg area should be protected by protective trousers.
L	GB

(Contd. on page 6)



Page 6/10

# Safety data sheet according to UK REACH

Printing date 10.12.2024

Version number 40 (replaces version 39)

Revision: 08.12.2024

Trade name MC-DUR 1177 WV-A - Komponente B

(Contd. of page 5)

9.1 Information on basic physical and chei	mical properties	
General Information		
Colour:	Transparent	
Smell:	Characteristic	
Melting point/freezing point:	<0 °C	
Boiling point or initial boiling point and		
boiling range	100 °C	
Flash point:	Not applicable	
рН	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
dynamic:	Not determined.	
Solubility		
Water:	Fully miscible	
Steam pressure at 20 °C:	23 hPa	
Density and/or relative density		
Density at 20 °C	1.07 g/cm³	
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection of hea		
and environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
	· .	
Information with regard to physical haz	aru	
classes Explosives	Void	
Explosives	Void	
Flammable gases	Void	
	Void	
Aerosols Oxidiaina aaaaa	Void	
Oxidising gases	Void	
Oxidising gases Gases under pressure	Void	
Oxidising gases Gases under pressure Flammable liquids	Void Void	
Oxidising gases Gases under pressure Flammable liquids Flammable solids	Void Void Void	
Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures	Void Void Void Void	
Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Void Void Void Void Void	
Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Void Void Void Void Void Void	
Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Void Void Void Void Void	
Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit	Void Void Void Void Void Void	
Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Void Void Void Void Void Void Void	
Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void Void Void Void Void Void Void Void	
Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	Void Void Void Void Void Void Void Void	
Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void Void Void Void Void Void Void Void	



### Safety data sheet

### according to UK REACH

Printing date 10.12.2024

Version number 40 (replaces version 39)

Revision: 08.12.2024

(Contd. of page 6)

Trade name MC-DUR 1177 WV-A - Komponente B

Desensitised explosives

Void

### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available. · 10.2 Chemical stability · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. 10.3 Possibility of hazardous reactions No dangerous reactions known · 10.4 Conditions to avoid No further relevant information available. · 10.5 Incompatible materials: No further relevant information available. · 10.6 Hazardous decomposition products: No dangerous decomposition products known

### **SECTION 11: Toxicological information**

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 · Acute toxicity Based on available data, the classification criteria are not met. · LD/LC50 values that are relevant for classification: CAS: 112-57-2 3,6,9-triazaundecamethylenediamine Oral LD50 2140 mg/kg (rat) Dermal LD50 1260 mg/kg (rabbit) Primary irritant effect: · Skin corrosion/irritation Based on available data, the classification criteria are not met. · Serious eye damage/irritation Causes serious eye damage. · Respiratory or skin May cause an allergic skin reaction. sensitisation · Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. · Reproductive toxicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. • STOT-single exposure Based on available data, the classification criteria are not met. • STOT-repeated exposure · Aspiration hazard Based on available data, the classification criteria are not met. · 11.2 Information on other hazards · Endocrine disrupting properties CAS: 541-02-6 2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane List II CAS: 556-67-2 octamethylcyclotetrasiloxane List II; III

(Contd. on page 8)

Page 7/10



Page 8/10

### Safety data sheet according to UK REACH

Printing date 10.12.2024

Version number 40 (replaces version 39)

Revision: 08.12.2024

Trade name MC-DUR 1177 WV-A - Komponente B

(Contd. of page 7)

· 12.1 Toxic	tity	
· Aquatic to	oxicity:	
CAS: 112-	57-2 3,6,9-triazau	ndecamethylenediamine
EC50/72h	2.1 mg/l (algae)	
LC50/96h	420 mg/l (Gup)	
EC50/48h	24.1 mg/l (Daphni	a magna)
12.2 Persi	stence and	
degradabi		No further relevant information available.
	cumulative	
potential		No further relevant information available.
· 12.4 Mobi		No further relevant information available.
<sup>.</sup> 12.5 Resu	lts of PBT and vP	
· PBT:		Not applicable.
· vPvB:		Not applicable.
· 12.6 Endo	crine disrupting	
properties	; ;	For information on endocrine disrupting properties see section 11
12.7 Other	r adverse effects	
· Additiona	l ecological infori	nation:
<sup>.</sup> General n		Do not allow product to reach ground water, water bodies sewage system.
		Danger to drinking water if even small quantities leak into soil.

### SECTION 13: Disposal considerations

• 13.1 Waste treatment metho • Recommendation	ds Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
• Uncleaned packagings: • Recommendation:	Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
<ul> <li>Recommended cleaning agent:</li> </ul>	Water, if necessary with cleaning agent.

SECTION 14: Transport information		
<ul> <li>14.1 UN number or ID number</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void	
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void	
		(Contd. on page 9)



Page 9/10

### Safety data sheet according to UK REACH

Printing date 10.12.2024

Version number 40 (replaces version 39)

Revision: 08.12.2024

Trade name MC-DUR 1177 WV-A - Komponente B

		(Contd. of page 8
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
Class	Void	
· 14.4 Packing group		
ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accord	ing to	
IMO instruments	Not applicable.	
· UN "Model Regulation":	Void	

15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture Poisons Act	No further relevant information available.
Regulated explosives precurs	sors
None of the ingredients is listed	
Regulated poisons	
None of the ingredients is listed	1.
Reportable explosives precu	rsors
None of the ingredients is listed	1.
Reportable poisons	
None of the ingredients is listed	1.
15.2 Chemical safety assessment:	A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phra	ises
-----------------	------

t phrases	H302 Harmful if swallowed.	
-	H312 Harmful in contact with skin.	
	H314 Causes severe skin burns and eye damage.	
	H317 May cause an allergic skin reaction.	
	H318 Causes serious eye damage.	
	H411 Toxic to aquatic life with long lasting effects.	

(Contd. on page 10)

GB



Safety data sheet according to UK REACH

Printing date 10.12.2024

Version number 40 (replaces version 39)

Revision: 08.12.2024

Page 10/10

### Trade name MC-DUR 1177 WV-A - Komponente B

	(Contd. of page 9)
· Department issuing data	
specification sheet:	Environment protection department
	Environment protection department. RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
previous version altered.	CB -